

- Bamgbade, O.A. Dexmedetomidine for peri-operative sedation and analgesia in alcohol addiction, 299
- Bane, J. *see* Moore, N.
- Bansal, S. *see* McLoughlin, L.
- Bapat, P.P., Anderson, J.A., Bapat, S. and Sule, A. Use of continuous positive airway pressure during spinal anaesthesia in a patient with severe chronic obstructive pulmonary disease, 1001
- Bapat, P.P. *see* Brodbelt, K.
- Bapat, S. *see* Bapat, P.P.
- Baraka, A. *see* Muallem, M.
- Baraka, A. Routine pre-oxygenation, 612
- Baraka, A.S. *see* Taha, S.K.
- Barakat, A.R., Scott, N.B., Fischer, H.B.J. and Simanski, C. Epidural clonidine for total hip replacement, 1007
- Barbati, G. *see* Parpaglion, R.
- Barber, V.S. *see* Griffiths, J.A.
- Barber, V.S. *see* Watkinson, P.J.
- Barker, K.F. *see* Fernandes, M.P.P.
- Barrett, N.A. and Kam, P.C.A. Transfusion-related acute lung injury: a literature review, 777
- Barron, R. *see* Batistich, S.P.
- Basha, S.I., McCoy, E., Ullah, R. and Kinsella, J.B. The efficacy of pharyngeal packing during routine nasal surgery – a prospective randomised controlled study, 1161
- Baskett, P., Simpson, P. and Carter, J. John Stanley Mornington Zorab, 1024
- Batas, D. *see* Wijayasiri, L.
- Batistich, S.P., Clark, M.X., Salmon, A. and Barron, R. Burn following use of the Suntouch warmer, 1124
- Bayley, G. *see* Silsby, J.
- Bazin, J.-E. *see* van Zundert, A.
- Bazin, V. *see* Lejus, C.
- Beamer, J. *see* Ghosh, Y.K.
- Beed, M.J., Dorairaj, I., Jayamaha, J. and Alagesan, K. Tracheal gas insufflation using a bronchial blocking catheter, 301
- Behura, A., Ahuja, M. and Mitchell, N. A leaky intravenous cannula, 411
- Bein, B. *see* Höcker, J.
- Beiras-Fernandez, A. *see* Weis, F.
- Bell, D. *see* Hegde, R.
- Bellamy, M.C. on behalf of the Leeds Liver Transplant Group *see* Turner, S.
- Benzer, A. *see* Tiefenthaler, W.
- van den Berg, P.C.M. *see* de Wilde, R.B.P.
- Berg, S. *see* Bhandal, N.
- Beringer, R. *see* Al-Shaikh, B.
- Bernet, V., Dullenkopf, A., Cannizzaro, V., Stutz, K. and Weiss, M. An *in vitro* study of the compliance of paediatric tracheal tube cuffs and tracheal wall pressure, 978
- Bertrand, D. *see* Lysakowski, C.
- Bhadra, N. and McCluskey, A. Solo lists and the European Working Time Directive, 714
- Bhandal, N., Rogers, R., Berg, S. and Mason, D.G. Paediatric caudal extradural catheterisation: an evaluation of a purpose designed equipment set, 277
- Bhaskaran, S. *see* Foda, E.
- Bhaskaran, S. A response to 'A novel method of nasogastric tube insertion', 310
- Bhatnagar, S. *see* Mishra, S.
- Bhuiyan, M.S., Chapman, M. and Cox, A. Mental nerve injury following facemask anaesthesia, 516
- Biccard, B.M., Sear, J.W. and Foëx, P. Acute peri-operative beta blockade in intermediate-risk patients, 924
- Biccard, B.M., Sear, J.W. and Foëx, P. The pharmacoeconomics of peri-operative beta-blocker therapy, 4
- Biccard, B.M. *see* Powell, B.
- Bigwood, B. *see* Bagade, A.
- Bigwood, B. *see* Cook, T.M.
- Bilgin, H. and Yılmaz, C. Awake intubation through the CTrach in the presence of an unstable cervical spine, 513
- Bilgin, H. and Bozkurt, M. Tracheal intubation using the ILMA, C-Trach™ or McCoy laryngoscope in patients with simulated cervical spine injury, 685
- Binh, N.T. *see* Thwaites, C.L.
- Birt, D. A reservoir bag for the Triservice anaesthetic apparatus, 510
- Bithal, P.K. *see* Sharma, D.
- Bitterman, N. *see* Ofek, E.
- Blackwood, B., Wilson-Barnett, J., Patterson, C.C., Trinder, T.J. and Lavery, G.G. An evaluation of protocolised weaning on the duration of mechanical ventilation, 1079
- Bloomfield, R. *see* Campbell, A.J.
- Blumenstock, G. *see* Koitschev, A.
- Bodenham, A. *see* Buehner, U.
- Bodenham, A.R. *see* Chapman, G.A.
- Bogod, D. *see* Ahmad, I.
- Bogod, D. *see* Connor, H.
- Bogod, D.G. The Editor as umpire: clinical trial registration and dispute resolution, 1133
- Böllert, P. *see* Höcker, J.
- Bone, E.G., Young, D. and Chantler, J. Target ranges and the apparent compliance with tight glycaemic control, 956
- Bonner, S. *see* Jones, A.P.
- Booth, S.A. The impact of a human influenza pandemic, 295
- Bose, D. *see* Balasubramanian, S.S.
- Bosomworth, M. *see* Turner, S.
- Bouaziz, H. *see* Jochum, D.
- Bouch, D.C. and Hall, A.P. Ultrasound diagnosis of a false radial artery aneurysm in ICU, 1018
- Bouch, D.C., Allsager, C.M. and Moore, N. Peri-operative trans-oesophageal echocardiography and nitric oxide during general anaesthesia in a patient with Eisenmenger's syndrome, 996
- Bould, M.D., Thomas, M.L. and Stylianou, M. Variability of Guedel-type airways, 1125
- Boulton, T.B. The Golden Jubilee of the Society of Anaesthetists of Hong Kong, 402
- Bowles, B. *see* Pratt, O.W.
- Bowman, A.W. *see* Millar, K.
- Bowman, A.W. *see* Stanford, J.
- Bozkurt, M. *see* Bilgin, H.
- Braschi, A. *see* Mojoli, F.
- Brennan, K. *see* Srivastava, D.
- Breukers, R.B.G.E. *see* de Wilde, R.B.P.
- Briegel, J. *see* Weis, F.
- Briggs, L. *see* Burlacu, C.L.
- Brimacombe, J. *see* Laupau, W.
- Brimacombe, J. *see* Richards, E.
- Brimacombe, J. *see* van Zundert, A.
- Brodbelt, K., McGrath, C.D. and Bapat, P.P. A response to 'Survival after massive bleeding into the airway in a patient at risk from "can't intubate, can't ventilate"', 618

- Brodrick, P.M. Anaesthesia for endobronchial brachytherapy, 68
- Bromilow, J. and Green, R.J. Consent for blood transfusion, 816
- Bromilow, J. *see* Schulte, A.C.
- Bromilow, J. *see* Sweeney, B.P.
- Broom, M.A., Slater, J. and Ure, D.S. An observational study of practice during transfer of patients from anaesthetic room to operating theatre, 943
- Brown, A.G. *see* Duffy, M.R.
- Brown, A.G. *see* Sundaram, R.
- Brussel, T. *see* Ellger, B.M.
- Budd, J.M. *see* Raghavendran, S.
- Buehner, U., Oram, J., Elliot, S., Mallick, A. and Bodenham, A. Bonfils semirigid endoscope for guidance during percutaneous tracheostomy, 665
- Buggy, D.J. *see* Burlacu, C.L.
- Buitelaar, D.R. *see* Huitink, J.M.
- Buitelaar, D.R. *see* West, N.
- Bullmann, V. *see* Orlowski, O.
- Bürger, K. *see* Grefkens, J.M.
- Burgess, C. and Ravenscroft, A.J. The lidocaine patch: a useful addition to the pain clinic armamentarium, 412
- Burlacu, C.L., Frizelle, H.P., Moriarty, D.C. and Buggy, D.J. Fentanyl and clonidine as adjunctive analgesics with levobupivacaine in paravertebral analgesia for breast surgery, 932
- Burlacu, C.L., Gaskin, P., Fernandes, A., Carey, M. and Briggs, L. A comparison of the insertion characteristics of the laryngeal tube and the laryngeal mask airway: a study of the ED50 propofol requirements, 229
- Burnell, S., da Silva, E.J. and Lenoir, R. Preventing leaks around a laryngeal mask airway, 404
- Burt, G., Patrick, A. and Miller, C. Identifying the thoracic epidural space, 813
- Campana, C. *see* Mojoli, F.
- Campbell, A.J., Bloomfield, R. and Noble, D.W. An observational study of changes to long-term medication after admission to an intensive care unit, 1087
- Campbell, N., Utting, M.R. and Alper, J. Both sides now..., 1231
- Campkin, N. *see* McLachlan, J.K.
- Canivet, J.L. *see* Roediger, L.
- Cann, C., Hampson, M.A., Wilkes, A.R. and Hall, J.E. The pressure required to force liquid through breathing system filters, 492
- Cannizzaro, V. *see* Bernet, V.
- Cantlay, K.L., Baker, S., Parry, A. and Danjoux, G. The impact of a consultant anaesthetist led pre-operative assessment clinic on patients undergoing major vascular surgery, 234
- Carey, A. *see* Pandit, J.J.
- Carey, M. *see* Burlacu, C.L.
- Carter, J. *see* Baskett, P.
- Celleno, D. *see* Parpagioni, R.
- Chambers, W.A. *see* Saqr, L.
- Chan, W.-H. *see* Hui, C.-K.
- Chandan, G.S. *see* Fitton, N.
- Chandradeva, K. A combined cannula-over-needle and wire-guided technique for cricothyroidotomy, 613
- Chandramouli, B.A. *see* Reddy, K.R.M.S.
- Chantler, J. *see* Bone, E.G.
- Chapman, G.A., Johnson, D. and Bodenham, A.R. Visualisation of needle position using ultrasonography, 148
- Chapman, M. *see* Bhuiyan, M.S.
- Chapman, R.M., Anderson, K., Green, J., Leitch, J.A., Gambhir, S. and Kenny, G.N.C. Evaluation of a new effect-site controlled, patient-maintained sedation system in dental patients, 345
- Charters, P. *see* Sethuraman, D.
- Chatterjee, J. *see* Patel, Y.
- Cheesman, M. and Kessell, G. First presentation of myasthenia gravis, 66
- Chia, C.H. *see* Tan, C.P.
- Chik, Z. *see* Tucker, A.T.
- Chincholkar, M., Walton, B., Farrow, C. and Cook, T. A response to 'A national survey of epidural use and management in elderly patients undergoing elective and emergency laparotomy', 1020
- Cho, J.E. *see* Park, J.H.
- Cho, S.M. *see* Al-Khafaji, A.
- Choi, D.H. *see* Ahn, H.J.
- Choi, S.J., Gwak, M.S., Ko, J.S., Lee, H., Yang, M., Lee, S.M., Kim, G.S. and Kim, M.H. The effects of the exaggerated lithotomy position for radical perineal prostatectomy on respiratory mechanics, 439
- Clark, M. *see* Fletcher, S.J.
- Clark, M.X. *see* Batistich, S.P.
- Coakley, M. *see* Janossy, K.
- Coe, A.J., Wilson, M. and Maithani, N. Expired gas backflow in oxygen delivery tubing, 1166
- Coldicott, Y.G.M., McBrien, M.E. and Heyburn, G. The difference between the use (or not) of 'resuscitative measures' and 'Do Not Attempt Resuscitation' requests, 1118
- Cole, B. *see* Orme, R.M.L'E.
- Cole, B. *see* Trivedi, M.
- Cole, P. *see* Hegde, R.
- Colin-Thome, N.J. *see* Story, D.A.
- Conacher, I.D., Velasquez, H. and Morrice, D.J. Endobronchial tubes – a case for re-evaluation, 587
- Conacher, I.D. Postoperative pulmonary oedema – tussles with starlings in the death zone, 211
- Congreve, K., Gardner, I., Laxton, C. and Scrutton, M. Where is T5? A survey of anaesthetists, 453
- Connelly, K., Gonzalez, I. and Oakey, R.J. A response to 'Incidence and significance of errors in a patient 'track and trigger' system during an epidemic of Legionnaires' disease: retrospective case note analysis', 1021
- Connor, H. and Bogod, D. Military anaesthesia, 904
- Connor, H. and Metcalfe, N.H. Military anaesthesia, 1846–1856, 296
- Constantin, J.-M. *see* van Zundert, A.
- Cook, T. *see* Chincholkar, M.
- Cook, T.M. and Cooper, G. Failed intubation in obstetric anaesthesia, 605
- Cook, T.M. and Lenoir, R.J. Preventing leaks around a laryngeal mask airway, 810
- Cook, T.M., Bigwood, B. and Cranshaw, J. A complication of transtracheal jet ventilation and use of the Aintree intubation catheter® during airway resuscitation, 692
- Cook, T.M. *see* Al-Shaikh, B.
- Cook, T.M. *see* Bagade, A.

- Cook, T.M. *see* Ball, D.R.
 Cook, T.M. *see* Ford, P.N.R.
 Cook, T.M. *see* Silsby, J.
 Cook, T.M. *see* Walton, B.
 Cook, T.M. (Still) time to organise training in airway management in the UK, 727
 Cooke, T. *see* Smith, I.
 Cooper, G. *see* Cook, T.M.
 Cooper, G.M. *see* Cormack, R.S.
 Cooper, G.M. *see* McLoughlin, L.
 Cooper, G.M. *see* Saravanakumar, K.
 Cooper, R. and Vaughan, R.S. A response to 'Airway management before, during and after extubation: a survey of practice in the United Kingdom and Ireland', 77
 Cope, R.A. *see* Heames, R.M.
 Coppens, M.J., Versichelen, L.F.M., Rolly, G., Mortier, E.P. and Struys, M.M.R.F. The mechanisms of carbon monoxide production by inhalational agents, 462
 Cordon, S.M. *see* Thwaites, C.L.
 Cormack, R.S. and Jenkins, J.G. Failed intubation in obstetric anaesthesia, 505
 Cormack, R.S., Rocke, D.A., Latto, I.P., Cooper, G.M. and Jenkins, J.G. Failed intubation in obstetric anaesthesia, 192
 Corry, P.R. *see* Sanjay, P.S.
 Cosgrove, J.F., Fordy, K., Hunter, I. and Nesbitt, I.D. Thomas the Tank Engine and Friends improve the understanding of oxygen delivery and the pathophysiology of hypoxaemia, 1069
 Costello, J.F. *see* Maharaj, C.H.
 Côté, A.V. *see* Hatzakorzian, R.
 Coventry, J. *see* Srivastava, D.
 Cox, A. *see* Bhuiyan, M.S.
 Cox, A. *see* Raajkumar, A.
 Cox, A. *see* Vohra, S.B.
 Coxon, M., Sindhakar, S. and Hodzovic, I. Autotriggering of pressure support ventilation during general anaesthesia, 72
 Craig, J.R. and Power, K. Apnoea and delayed emergence following staged bilateral radical neck dissection, 914
 Cranshaw, J. and Shewry, E. Use of ProSeal laryngeal mask airway as a dedicated airway for fiberoptic-guided tracheal intubation, 199
 Cranshaw, J. *see* Bagade, A.
 Cranshaw, J. *see* Cook, T.M.
 Cranshaw, J. *see* Gongireddy, V.K.R.
 Crockard, A.D. *see* Shields, M.O.
 Cundill, G. *see* Kumavel, V.
 Curley, G. *see* Maharaj, C.H.
 Cuthbertson, B.H. *see* Griffiths, J.A.
 Cyna, A.M. *see* Farr, M.J.
 Czarnetzki, C. *see* Lysakowski, C.
 Dagher, C.M. *see* Taha, S.K.
 Dahaba, A.A., Prax, N., Gaube, W., Gries, M., Rehak, P.H. and Metzler, H. Haemodynamic and catecholamine stress responses to the Laryngeal Tube-Suction Airway and the ProSeal Laryngeal Mask Airway, 330
 Dalgleish, D.J. *see* Haigh, F.P.
 Danecki, A. *see* Pennefather, S.H.
 Danjoux, G. *see* Cantlay, K.L.
 Danzeisen, O. *see* Turan, A.
 Daoud, N. *see* Naja, Z.M.
 Darshane, S. *see* Sethuraman, D.
 Das, S. *see* Gongireddy, V.K.R.
 Dash, H.H. *see* Prabhakar, H.
 David, R. *see* Windsor, J.S.
 Davies, J.A. and Maguire, A.M. Variability in Guedel airway design, 297
 Davies, M. *see* Iyer, G.A.
 Davies, M.R. *see* Nouraei, S.A.R.
 Dawson, J.S., Picard, J. and Meek, T. Lipid emulsions for local anaesthetic toxicity, 1225
 Deckert, K. *see* Apostolou, E.
 Deckert, K. *see* Shields, M.O.
 Degnan, B.A., Murray, L.J., Dunling, C.P., Whittlestone, K.D., Standley, T.D.A., Gupta, A.K. and Wheeler, D.W. The effect of additional teaching on medical students' drug administration skills in a simulated emergency scenario, 1155
 Dell, R. *see* Howes, B.
 Denner, A.M. and Townley, S.A. Preventing extravasation from central venous catheters, 614
 Denny, N.M. *see* Harrop-Griffiths, W.
 Deo, K. *see* Peyton, P.J.
 Dhamarajah, S. *see* Turner, S.
 Dhiraaj, S. *see* Agarwal, A.
 Di Pietro, R. *see* Fodale, V.
 Diarra, D.P. *see* Jochum, D.
 Diddee, R. *see* Jones, A.P.
 Dingley, J. *see* Missouri, S.
 Dinsmore, J., Nightingale, J. and Baker, S. Delayed diagnosis of an epidural haematoma with a working epidural *in situ*, 913
 Dobson, A.P. Nasogastric tube insertion – another technique, 1127
 Dodd, L. *see* da Silva, E.J.
 Dolenska, S. and Webster, C. A response to 'The nuclear power industry as an alternative analogy for safety in anaesthesia and a novel approach for the conceptualisation of safety goals', 308
 Donelan, L. *see* Royse, C.F.
 Donev, R. *see* Sudheer, P.S.
 Dorairaj, I. *see* Beed, M.J.
 Douglas, S. *see* Shepherd, J.
 Douglass, J.A. *see* Apostolou, E.
 Douglass, J.A. *see* Shields, M.O.
 Drummond, G. A response to 'Autotriggering of pressure support ventilation during general anaesthesia', 310
 Dualé, C. *see* Schneider, E.
 Duffy, M.R. and Ingham, J. The Seeing Optical Stylet™ for percutaneous tracheostomy, 298
 Duffy, M.R. and Swart, M. Severe Ecstasy poisoning in a toddler, 498
 Duffy, M.R., Sundaram, R., Koteeswaran, S.K., Brown, A.G. and Urquhart, G. Massive obstetric haemorrhage: arterial embolisation *vs* rFVIIa, 1010
 Dullenkopf, A. *see* Bernet, V.
 Dumont, L. *see* Lysakowski, C.
 Dumpala, R. *see* Oosthuysen, S.A.v.R.
 Dunling, C.P. *see* Degnan, B.A.
 Dupré, L.J. *see* Jochum, D.
 Eberhart, L.H.J. *see* Turan, A.
 Edgar, J.D.M. *see* Shields, M.O.
 Edsell, M.E.G., Jones, K. and McHale, S.P. Time for a change, 302
 Eisner, W. *see* Tiefenthaler, W.
 El Rajab, M. *see* Naja, Z.M.
 El-Khatib, M.F. *see* Taha, S.K.

- Ellger, B.M., Zahn, P.K., Van Aken, H.K., Schmidt, C. and Brussel, T. Levosimendan: a promising treatment for myocardial stunning?, 61
- Elliot, S. *see* Buehner, U.
- Emohare, O. and Ratnam, V. Multiple cardiac arrests following an overdose of caffeine complicated by penetrating trauma, 54
- Erb, T.O. *see* von Ungern-Sternberg, B.S.
- Etchells, T.A. and Harrison, M.J. Orthogonal search-based rule extraction for modelling the decision to transfuse, 335
- Evans, A., Morris, S., Petterson, J. and Hall, J.E. A comparison of the Seeing Optical Stylet and the gum elastic bougie in simulated difficult tracheal intubation: a manikin study, 478
- Ewah, B. *see* Bagade, A.
- Ewah, B.N., Robb, P.J. and Raw, M. Postoperative pain, nausea and vomiting following paediatric day-case tonsillectomy, 116
- Fardell, S. *see* Heard, A.
- Farling, P. and Smith, M. Transfer of brain injured patients – time for a change?, 519
- Farr, M.J. and Cyna, A.M. Subacute airway obstruction from a tracheal mucosal flap, 285
- Farrar, J.J. *see* Thwaites, C.L.
- Farrow, C. *see* Chincholkar, M.
- Farrow, C. *see* Walton, B.
- Featherstone, P.I. *see* Smith, G.B.
- Felton, T.W., McCormick, B.A., Finfer, S.R. and Fisher, M.M. Life-threatening pulmonary hypertension and right ventricular failure complicating calcium and phosphate replacement in the intensive care unit, 49
- Ferguson, C. *see* Patel, P.B.
- Fernandes, A. *see* Burlacu, C.L.
- Fernandes, M.P.P., Barker, K.F. and Magee, C. Loose adhesive in anaesthetic circuit, 73
- Fernandez, M. *see* Lejus, C.
- Ferreri, F. *see* Fodale, V.
- Fettes, P.D.W., Leslie, K., McNabb, S. and Smith, P.J. Effect of spinal flexion on the conus medullaris: a case series using magnetic resonance imaging, 521
- Filler, T. *see* Orlowski, O.
- Finfer, S.R. *see* Felton, T.W.
- Fischer, H.B.J. *see* Ambulkar, R.
- Fischer, H.B.J. *see* Barakat, A.R.
- Fisher, M.M. *see* Felton, T.W.
- Fitton, N., Chandan, G.S., Kidner, K. and Laurence, A.S. Basic airway management by junior doctors, 1221
- Fitzpatrick, R. *see* Smith, I.
- Fletcher, S.J. and Quinn, A.C. The Surviving Sepsis Campaign and Sepsis Care Bundles: substance or sophistry?, 313
- Fletcher, S.J., Clark, M. and Stanley, P.J. Carbon dioxide re-breathing with close fitting face respirator masks, 910
- Flondor, M., Merkel, M., Hofstetter, C., Irlbeck, M., Frey, L. and Zwissler, B. The effect of inhaled nitric oxide and inhaled iloprost on hypoxaemia in a patient with pulmonary hypertension after pulmonary thrombarterectomy, 1200
- Foda, E. and Bhaskaran, S. Overdose of propofol in a child, 65
- Fodale, V., Di Pietro, R., Ferreri, F., Tescione, M., Russo, G., Santamaria, S. and Praticò, C. The effect of peribulbar block with ropivacaine on bi-hemispheric cerebral oxygen saturation in aged patients, 764
- Foëx, P. *see* Biccard, B.M.
- Foëx, P. *see* Powell, B.
- Ford, P.N.R. and Cook, T.M. Percutaneous dilational tracheostomy in a patient with a 'Saber-Sheath' trachea, 818
- Fordy, K. *see* Cosgrove, J.F.
- Forst, H. *see* Turan, A.
- Fortescue, C. *see* Whittaker, S.
- Foster, R.N. and Scotson, I. Another problem with adhesive drapes, 67
- Frampton, C. *see* Frerk, C.
- Franzen, D., Ursprung, T., Wuthrich, B. and Reber, A. Idiopathic non-histaminergic angio-oedema after routine extubation successfully treated with fresh frozen plasma, 698
- Frei, F.J. *see* von Ungern-Sternberg, B.S.
- Frerk, C. and Frampton, C. Cricothyroidotomy; time for change, 921
- Frerk, C. *see* Menzies, R.
- Frey, L. *see* Flondor, M.
- Frigo, M.G. *see* Pargaglioni, R.
- Frizelle, H.P. *see* Burlacu, C.L.
- Furrer, L. *see* Hofer, C.K.
- Gambhir, S. *see* Chapman, R.M.
- Gandhimani, P. *see* Kumaravel, V.
- Ganter, M.T. *see* Hofer, C.K.
- Gardemiers, J. *see* van Geffen, G.J.
- Gardner, I. *see* Congreve, K.
- Gardner-Thorpe, C. *see* Iqbal, R.
- Gaskin, P. *see* Burlacu, C.L.
- Gaube, W. *see* Dahaba, A.A.
- van Geffen, G.J., Scheuer, M., Müller, A., Gardemiers, J. and Gielen, M. Ultrasound-guided bilateral continuous sciatic nerve blocks with stimulating catheters for postoperative pain relief after bilateral lower limb amputations, 1204
- Genoni, M. *see* Hofer, C.K.
- George, M.J. The site of action of epidurally administered opioids and its relevance to postoperative pain management, 659
- George, N. Lipid emulsion for local anaesthetic toxicity, 1118
- Gerry, B. *see* Sharma, S.
- Ghori, A. *see* Srivastava, D.
- Ghosh, Y.K., Ahluwalia, H. and Beamer, J. Povidone-iodine antiseptics before ophthalmic surgery, 1128
- Gielen, M. *see* van Geffen, G.J.
- Gilby, S. *see* Pennefather, S.H.
- Gillart, T. *see* Schneider, E.
- Gillbe, C. *see* Reddy, K.
- Gillbe, C. *see* Shetty, R.M.
- Gillman, K. and Kitson, R. A response to 'Tramadol and severe serotonin syndrome', 76
- Gillman, P.K. Extracting value from case reports: lessons from serotonin toxicity, 419
- Gillman, P.K. Methylene blue implicated in potentially fatal serotonin toxicity, 1013
- Gimpl, S. *see* Tiefenthaler, W.
- Girdler, N.M. *see* Wilson, K.E.
- Giriappa, R. *see* Heard, A.
- Goddard, M., Smith, P.D. and Howard, A.C. Spinal anaesthesia for spinal surgery, 723
- Goetz, A. *see* Weis, F.
- Goldhill, D.R. Of missiles and medicine: early warning systems, 209

- Goldman, A.J. and Rosenblatt, W.H. The LMA CTrach™ in airway resuscitation: six case reports, 975
- Goldman, A.J. and Rosenblatt, W.H. Use of the fibreoptic intubating LMA-CTrach™ in two patients with difficult airways, 601
- Gomez, R.S. and Mendes, T.C.B.S. Epidural anaesthesia as a complication of attempted brachial plexus blockade using the posterior approach, 591
- Gongireddy, V.K.R., Das, S., Cranshaw, J. and Shewry, E. Use of LMA ProSeal™ as a dedicated airway for fibreoptic-guided tracheal intubation, 715
- Gonzalez, I. *see* Connelly, K.
- Goodwin, N., Wilkes, A.R. and Hall, J.E. Flexibility and light emission of disposable paediatric Miller 1 laryngoscope blades, 792
- Gordon, P.C. *see* Howell, L.
- Gortner, L. *see* Meyer, S.
- Gottschling, S. *see* Meyer, S.
- Goy, R.W.L. *see* Liu, E.H.C.
- Graumüller, S. *see* Koitschev, A.
- Gray, A.G. *see* Kendrick, B.J.L.
- Green, J. *see* Chapman, R.M.
- Green, R.J. *see* Bromilow, J.
- Greenland, K.B., Ha, I.D. and Irwin, M.G. Comparison of the Berman Intubating Airway and the Williams Airway Intubator for fibreoptic orotracheal intubation in anaesthetised patients, 678
- Grefkens, J.M. and Bürger, K. Total spinal anaesthesia after an attempted brachial plexus block using the posterior approach, 1105
- van der Griend, B.F.H. and Ho, D. The effect of temperature on baricity of local anaesthetic solutions, 1016
- Gries, M. *see* Dahaba, A.A.
- Griffiths, J.A., Barber, V.S., Cuthbertson, B.H. and Young, J.D. A national survey of intensive care follow-up clinics, 950
- Grundmann, U. *see* Meyer, S.
- Guélon, D. *see* Schneider, E.
- Guha, A. *see* Sethuraman, D.
- Gupta, A.K. *see* Degnan, B.A.
- Gupta, D. *see* Mishra, S.
- Gupta, K., Vohra, V. and Sood, J. The role of magnesium as an adjuvant during general anaesthesia, 1058
- Guruswamy, V. and Parkins, K. Faulty tracheal tube connector, 915
- Gwak, M.S. *see* Choi, S.J.
- Ha, I.D. *see* Greenland, K.B.
- Haanschoten, M. *see* van Zundert, A.
- Habre, W. *see* von Ungern-Sternberg, B.S.
- Hadaway, E.G. Use of carbon dioxide at extubation, 66
- Haigh, F.P., Swinton, F.W. and Dalgleish, D.J. Documentation and communication of the 'difficult airway', 817
- Hakki, M.A. *see* Taha, S.K.
- Haldane, G. *see* Young, S.
- Hall, A.P. *see* Bouch, D.C.
- Hall, G.M. *see* Robertshaw, H.J.
- Hall, J. *see* Royse, C.F.
- Hall, J.E. *see* Absolom, M.
- Hall, J.E. *see* Cann, C.
- Hall, J.E. *see* Evans, A.
- Hall, J.E. *see* Goodwin, N.
- Hall, J.E. *see* Shafik, M.T.
- Hall, J.E. *see* Stacey, M.R.
- Hall, J.E. *see* Sudheer, P.S.
- Hammer, J. *see* von Ungern-Sternberg, B.S.
- Hampson, M.A. *see* Cann, C.
- Hancox, N. *see* Wantman, A.
- Hann, A. *see* Watkinson, P.J.
- Hanning, C. and Rentowl, P. A response to 'Living with the European Clinical Trials Directive: one year on', 78
- Hanousek, J. *see* Johns, R.A.
- Hardman, J.G. *see* Maxwell, M.J.
- Hargrove, O. *see* Higgs, A.
- Härmä, M.I. *see* Lindfors, P.M.
- Harper, C.M. and Alexander, R. Hypothermia and spinal anaesthesia, 612
- Harrison, M.J. *see* Etchells, T.A.
- Harrop-Griffiths, W. and Denny, N.M. The cat in the kitchen: Problems with the Pippa technique, 1028
- Harrop-Griffiths, W. *see* Ward, S.J.
- Harte, B.H. *see* Maharaj, C.H.
- Harten, J. *see* Kinsella, J.
- Hatzakorizan, R., Li Pi Shan, W., Côté, A.V., Schricker, T. and Backman, S.B. The management of severe emergence agitation using droperidol, 1112
- Hayward, E., Healy, D. and Wimbush, S. Awareness, dreaming or steroid-induced psychosis?, 1127
- Healy, D. *see* Hayward, E.
- Heames, R.M. and Cope, R.A. Hypophosphataemia causing profound cardiac failure after cardiac surgery, 1211
- Heard, A., Langley, K., Giriya, R., Jefferson, P., Ball, D.R., Rassam, S., Stacey, M., Alexander, R. and Fardell, S. Remifentanyl for tracheal intubation, 194
- Hegde, R., Bell, D. and Cole, P. The Jehovah's Witness and dementia: who or what defines 'best interests?', 802
- Hendron, D. and Reid, M. Acquired C1 esterase inhibitor deficiency: an atypical first presentation intra-operatively, 1109
- Henning, J. The Triservice Anaesthetic Apparatus – an alternative configuration, 1123
- Henrys, P. *see* McLachlan, J.K.
- Heringhaus, C. *see* Turan, A.
- Hernández Altemir, F. Sub-mental vs. retromolar intubation, 1123
- Hertz, P. *see* Picard, J.
- Heyburn, G. *see* Coldicott, Y.G.M.
- Heyburn, G. *see* McBrien, M.E.
- Higgins, B. *see* Smith, G.B.
- Higgins, B.D. *see* Maharaj, C.H.
- Higgs, A., Hargrove, O. and Ranasinghe, D.N. Assessing the laryngeal view by conventional laryngoscopy after awake fibreoptic tracheal intubation, 909
- Higgs, A. *see* Menzies, R.
- Higuchi, T. *see* Wu, E.T.
- Hillman, K. What is vital to measure?, 1027
- Hilmi, S. *see* Ledowski, T.
- Hirvonen, E.A. *see* Karamchandani, K.
- Ho, D. *see* van der Griend, B.F.H.
- Ho, V. *see* Ng, V.
- Höcker, J., Tonner, P.H., Böllert, P., Paris, A., Scholz, J., Meier-Paika, C. and Bein, B. Propofol/remifentanyl vs sevoflurane/remifentanyl for long lasting surgical procedures: a randomised controlled trial, 752
- Hodzovic, I. *see* Coxon, M.
- Hodzovic, I. *see* Turner, M.

- Hofner, C.K., Ganter, M.T., Matter-Ensner, S., Furrer, L., Klaghofer, R., Genoni, M. and Zollinger, A. Volumetric assessment of left heart preload by thermolulution: comparing the PiCCO-VoLEF® system with transoesophageal echocardiography, 316
- Hofland, J., Leenderse-Verloop, K. and Ruprecht, J. Keuskamp and the Amsterdam Infant Ventilator, 705
- Hofmann, J.P. *see* Papadimos, T.J.
- Hofstetter, C. *see* Flondor, M.
- Hohlrieder, M. *see* Tiefenthaler, W.
- Holdcroft, A. *see* Sabir, N.
- Holmes, K., Snow, D. and Nathanson, M.H. More problems with Luer lock connections, 73
- Hosey, M.T. *see* Millar, K.
- Hosey, M.T. *see* Stanford, J.
- Hosokawa, K., Nakajima, Y., Yaku, H. and Mizobe, T. Evaluation of residual shunt flow of coronary artery fistulae by intra-operative transoesophageal echocardiography, 814
- Houghton, I.T. A reservoir bag for the Triservice anaesthetic apparatus, 812
- Houtman, S., Rinia, M. and Kalkman, C. Monitor-induced tachycardia in a patient with a rate-responsive pacemaker, 399
- Howard, A.C. *see* Goddard, M.
- Howell, L., Gordon, P.C. and James, M.F.M. Inaccurate tidal volume readings when checking Bleas 7800 ventilator with a Siemens test lung, 516
- Howell, P.R. *see* Stone, A.G.H.
- Howell, P.R. *see* Wantman, A.
- Howes, B. and Dell, R. Ultrasound to detect incorrect guidewire positioning during subclavian line insertion, 615
- Howes, B.W. The reliability of laryngoscope lights, 488
- Huang, C.-H. *see* Hui, C.-K.
- Huda, S. *see* Morrison, A.T.
- Hughes, R.L. More on etomidate and ECT, 407
- Hui, C.-K., Huang, C.-H., Lin, C.-J., Lau, H.-P., Chan, W.-H. and Yeh, H.-M. A randomised double-blind controlled study evaluating the hypothermic effect of 150 µg morphine during spinal anaesthesia for Caesarean section, 29
- Huitink, J.M., Buitelaar, D.R. and Schutte, P.F.E. Awake fibrecapnic intubation: a novel technique for intubation in head and neck cancer patients with a difficult airway, 449
- Huitink, J.M. *see* West, N.
- Hunter, I. *see* Cosgrove, J.F.
- Husain, N.K.A. and Ravalia, A. Ultrasound-guided ilio-inguinal and rectus sheath nerve blocks, 1126
- Ibrahim, F.I. *see* Ryding, F.N.
- Imanaka, H. *see* Wu, E.T.
- Ingham, J. *see* Duffy, M.R.
- Iohom, G. *see* Jochum, D.
- Iqbal, R., Gardner-Thorpe, C., Thompson, J., Popat, M.T., Yentis, S.M. and Pandit, J.J. A comparison of an anterior jaw lift manoeuvre with the Berman airway for assisting fibreoptic orotracheal intubation, 1048
- Iqbal, R. *see* Marfin, A.G.
- Irlbeck, M. *see* Flondor, M.
- Irwin, M.G. *see* Greenland, K.B.
- Isidoro, A. *see* von Ungern-Sternberg, B.S.
- Ismail, S., Khan, F.A., Sultan, N. and Naqvi, M. Radiation exposure of trainee anaesthetists, 9
- Isselhorst, C. *see* Turan, A.
- Iyer, G.A. and Davies, M. Another cause of an obstructed breathing system, 201
- Jackson, I. *see* Smith, I.
- Jackson, M.-T. *see* Shirley, P.J.
- Jaggar, S. *see* Reddy, K.
- James, M.F.M. *see* Howell, L.
- Janossy, K., Ball, D.R., Jefferson, P., Coakley, M., Self, R. and Mallett, S. Platelet function and diet, 508
- Jansen, J.R.C. *see* de Wilde, R.B.P.
- Jayamaha, J. *see* Beed, M.J.
- Jefferson, O. *see* Bagade, A.
- Jefferson, P. *see* Bagade, A.
- Jefferson, P. *see* Heard, A.
- Jefferson, P. *see* Janossy, K.
- Jefferson, P. *see* Pathak, D.
- Jenkins, J.G. *see* Cormack, R.S.
- Jochum, D., Iohom, G., Diarra, D.P., Loughnane, F., Dupré, L.J. and Bouaziz, H. An objective assessment of nerve stimulators used for peripheral nerve blockade, 557
- Johns, R.A., Hanousek, J. and Montgomery, J.E. A comparison of cyclizine and granisetron alone and in combination for the prevention of postoperative nausea and vomiting, 1053
- Johnson, D. *see* Chapman, G.A.
- Johnston, A. *see* Tucker, A.T.
- Johnston, M. *see* Natusch, D.
- Jones, A.P., Diddee, R. and Bonner, S. Insertion of a nasogastric tube under direct vision, 305
- Jones, H.G. and Stoneham, M.D. Continuous cervical plexus block for carotid body tumour excision in a patient with Eisenmenger's syndrome, 1214
- Jones, K. *see* Edsell, M.E.G.
- Jordan, G. *see* Silsby, J.
- Joris, J. *see* Roediger, L.
- Jose, Z. *see* Sebastian, T.
- Kagasaki, K. *see* Wu, E.T.
- Kalkman, C. *see* Houtman, S.
- Kalkman, C.J. *see* Morris, K.E.A.
- Kalkman, C.J. *see* van Klei, W.A.
- Kam, P.C.A. *see* Barrett, N.A.
- Kamphuis, R. *see* van Zundert, A.
- Kapur, S. and da Silva, E.J. Use of abciximab for aneurysm coiling, 720
- Kapur, S., Mutagi, H. and Raphael, J. Use of metamizol in patients with Familial Mediterranean Fever, 815
- Kapur, S., Tripathi, M. and Pandey, M. Anchoring the internal jugular vein, 813
- Karamchandani, K., Hirvonen, E.A., Niskanen, L.K. and Niskanen, M.M. Better pre-operative evaluation, 509
- Karamchandani, K. *see* Arora, M.K.
- Karmarkar, A. and Lieberman, I. Mirror box therapy for complex regional pain syndrome, 412
- Kasa, S.P.B. *see* Watling, G.
- Kegel, B. *see* Meyer, S.
- Keller, C. *see* Laupau, W.
- Keller, C. *see* Richards, E.
- Kendrick, B.J.L., Gray, A.G., Pickworth, A. and Watters, M.P.R. Drotrecogin alfa (activated) in severe falciparum malaria, 899
- Kenny, G.N.C. *see* Chapman, R.M.
- Kerger, H. *see* Turan, A.

- Kessell, G. *see* Cheesman, M.
 Kestin, I.G., Arrowsmith, J.E., Powell, S.J. and Nashef, S.A.M. Detecting excess deaths, 903
 Khan, F.A. *see* Ismail, S.
 Kidner, K. and Laurence, A.S. Basic airway management by junior doctors: assessment and training on human apnoeic subjects in the anaesthetic room, 739
 Kidner, K. *see* Fitton, N.
 Kil, H.K. *see* Park, J.H.
 Kilger, E. *see* Weis, F.
 Kim, C.S. *see* Ahn, H.J.
 Kim, G.S. *see* Choi, S.J.
 Kim, J.Y. *see* Park, J.H.
 Kim, M.H. *see* Choi, S.J.
 Kim, T.Y. and Ryu, D.H. The effect of fundal pressure at Caesarean section on maternal haemodynamics, 434
 Kim, W.O. *see* Park, J.H.
 Kinsella, J., Anderson, K. and Harten, J. Cardiovascular changes after induction of anaesthesia, 67
 Kinsella, J.B. *see* Basha, S.I.
 Kirby, K. *see* Tucker, A.T.
 Kirk-Bayley, J. and Afzaal, A. Catching the dribbles from sub-Tenon's blocks, 305
 Kirton, C. *see* Moore, N.
 Kitson, R. *see* Gillman, K.
 Klagofer, R. *see* Hofer, C.K.
 van Klei, W.A., Kalkman, C.J., Tolsma, M., Rutten, C.L.G. and Moons, K.G.M. Pre-operative detection of valvular heart disease by anaesthetists, 127
 van Klei, W.A. *see* Morris, K.E.A.
 Knight, D. *see* Smith, G.B.
 Knight, J. *see* Richardson, A.J.
 Knottenbelt, G., van der Westhuisen, J. and Milward, G. Separation of an arterial catheter from its hub, 1229
 Ko, J.S. *see* Choi, S.J.
 Koch, T. *see* Litz, R.J.
 Koch, T. *see* Wildsmith, J.A.W.
 Koitschev, A., Simon, C., Blumenstock, G., Mach, H. and Graumüller, S. Suprastomal tracheal stenosis after dilational and surgical tracheostomy in critically ill patients, 832
 Koo, B.N. *see* Park, J.H.
 Koteeswaran, S.K. *see* Duffy, M.R.
 Koteeswaran, S.K. *see* Sundaram, R.
 Kuczkowski, K.M. The management of accidental dural puncture, 68
 Kumar, A. *see* Agarwal, A.
 Kumavel, V., Gandhimani, P. and Cundill, G. Frozen succinylcholine, 202
 Kumpch, M. *see* Turan, A.
 Lacey, O. *see* West, N.
 Lacherez, P. *see* Sanderson, P.M.
 Laffey, J.G. *see* Maharaj, C.H.
 Lai, A. *see* Ng, V.
 Lamb, F.J. *see* Sebastian, T.
 Lamm, P. *see* Weis, F.
 Lamy, M. *see* Roediger, L.
 Lang, C. *see* Morrison, G.A.
 Langford, R.M. *see* Mehta, V.
 Langley, K. *see* Heard, A.
 Larbuisson, R. *see* Roediger, L.
 Latto, I.P. *see* Cornack, R.S.
 Latto, I.P. *see* Stacey, M.R.
 Lau, H.-P. *see* Hui, C.-K.
 Laupau, W., Brimacombe, J., Richards, E. and Keller, C. High concentration potassium permanganate eliminates protein and particle contamination of the reusable Classic™ laryngeal mask airway, 524
 Laupau, W. *see* Richards, E.
 Laurence, A.S. *see* Fitton, N.
 Laurence, A.S. *see* Kidner, K.
 Laver, S.R., Padkin, A., Atalla, A. and Nolan, J.P. Therapeutic hypothermia after cardiac arrest: a survey of practice in intensive care units in the United Kingdom, 873
 Lavery, G.G. *see* Blackwood, B.
 Lawler, P.G. Mobile phone use in hospitals, 616
 Laxton, C. *see* Congreve, K.
 Le Corre, A. *see* Lejus, C.
 Le Roux, C. *see* Lejus, C.
 Ledowski, T. and Russell, P. Anaesthesia for stiff person syndrome: successful use of total intravenous anaesthesia, 725
 Ledowski, T., Hilmi, S. and Paech, M.J. Bronchial mucus transport velocity in patients receiving anaesthesia with propofol and morphine or propofol and remifentanyl, 747
 Lee, H. *see* Choi, S.J.
 Lee, M.C., Absalom, A.R., Menon, D.K. and Smith, H.L. Awake insertion of the laryngeal mask airway using topical lidocaine and intravenous remifentanyl, 32
 Lee, S.M. *see* Choi, S.J.
 Leendertse-Verloop, K. *see* Hofland, J.
 Leese, T. *see* Tan, C.P.
 Leino, T.J. *see* Lindfors, P.M.
 Leitch, J.A. *see* Chapman, R.M.
 Leith, S. *see* Raghavendran, S.
 Lejus, C., Bazin, V., Fernandez, M., Nguyen, J.M., Radosevic, A., Quere, M.F., Le Roux, C., Le Corre, A. and Pinaud, M. Inhalation induction using sevoflurane in children: the single-breath vital capacity technique compared to the tidal volume technique, 535
 Lemma, A. *see* Parpaghioni, R.
 Lenoir, R. *see* Burnell, S.
 Lenoir, R.J. *see* Cook, T.M.
 de Leon, M.P. *see* Apostolou, E.
 de Leon, M.P. *see* Shields, M.O.
 Leschinskiry, D. *see* Mastakar, S.
 Leslie, K. *see* Fettes, P.D.W.
 Leslie, K. *see* Stonell, C.A.
 Levy, D.M. *see* Whittaker, S.
 Levy, D.M. Emergency Caesarean section: best practice, 786
 Lewey, R. *see* Ravalia, A.
 Lewis, N.L. and Plaaf, F. Trainees' experiences of difficult and failed intubation in obstetrics, 69
 Li Pi Shan, W. *see* Hatzakorizan, R.
 Li, C.W. *see* Xue, F.S.
 Li, P. *see* Xue, F.S.
 Li, X.Y. *see* Xue, F.S.
 Lieberman, I. *see* Karmarkar, A.
 Lim, K.Y. *see* Lim, T.A.
 Lim, M.W. The history of extracorporeal oxygenators, 984
 Lim, T.A. and Lim, K.Y. BIS during etomidate-induced myoclonus, 410
 Lim, Y., Sia, A.T. and Ocampo, C.E. Comparison of computer integrated patient controlled epidural analgesia vs. conventional patient controlled epidural analgesia for pain relief in labour, 339
 Lin, C.-J. *see* Hui, C.-K.

- Lindfors, P.M., Nurmi, K.E., Meretoja, O.A., Luukkonen, R.A., Viljanen, A.-M., Leino, T.J. and Härmä, M.I. On-call stress among Finnish anaesthetists, 856
- Linhartova, L. *see* Mathew, S.
- Litz, R.J., Popp, M., Stehr, S.N. and Koch, T. Successful resuscitation of a patient with ropivacaine-induced asystole after axillary plexus block using lipid infusion, 800
- Litz, R.J. *see* Wildsmith, J.A.W.
- Liu, E.H.C. and Goy, R.W.L. The LMA Ctrach™ for unanticipated difficult intubation, 1015
- Liu, J. *see* Xue, F.S.
- Liu, K.P. *see* Xue, F.S.
- Liu, Y. *see* Xue, F.S.
- Logan, S.W. *see* Sudheer, P.S.
- Loh, R.K.S. *see* von Ungern-Sternberg, B.S.
- Lönnqvist, P.A. *see* Naja, Z.M.
- Loughnane, F. *see* Jochum, D.
- Luukkonen, R.A. *see* Lindfors, P.M.
- Lynch, M. Ultrasound guided central venous catheter placement using Geliperm®, 517
- Lysakowski, C., Dumont, L., Czarnetzki, C., Bertrand, D., Tassonyi, E. and Tramèr, M.R. The effect of cigarette smoking on the hypnotic efficacy of propofol, 826
- Macdonald, A. and Zuck, D. The Robinson-Hooper connection, 553
- MacDonald, I.A. *see* Thwaites, C.L.
- MacDonnell, S. *see* Watling, G.
- Mach, H. *see* Koitschev, A.
- Mackenzie, J.W. Acute pain management for opioid dependent patients, 907
- Magee, C. *see* Fernandes, M.P.P.
- Maghsoudi, B. Air bubble barrier to syringe contamination, 305
- Maguire, A.M. *see* Davies, J.A.
- Mahapatro, S. *see* Shastri, C.
- Maharaj, C.H., Costello, J.F., Higgins, B.D., Harte, B.H. and Laffey, J.G. Learning and performance of tracheal intubation by novice personnel: a comparison of the Airtraq® and Macintosh laryngoscope, 671
- Maharaj, C.H., Higgins, B.D., Harte, B.H. and Laffey, J.G. Evaluation of intubation using the Airtraq® or Macintosh laryngoscope by anaesthetists in easy and simulated difficult laryngoscopy – a manikin study, 469
- Maharaj, C.H., O’Croinin, D., Curley, G., Harte, B.H. and Laffey, J.G. A comparison of tracheal intubation using the Airtraq® or the Macintosh laryngoscope in routine airway management: a randomised, controlled clinical trial, 1093
- Maharaj, R. *see* Powell, B.
- Maithani, N. *see* Coe, A.J.
- Majumder, A. and Ng, L. Phantom capnograph, 1128
- Malhotra, N. Retromolar intubation – a simple alternative to submental intubation, 515
- Malhotra, N. Tracheal intubation in paediatrics: select tubes from the same manufacturer, 725
- Malhotra, P. *see* Agarwal, R.
- Mallett, S. *see* Janossy, K.
- Mallick, A. *see* Buehner, U.
- Man, A.K.Y., Mir, T. and Pendy, L. Problem with pump set for Hospira Pain Management pump, 1018
- Manji, M. *see* Adam, C.
- Mapleson, W.W. *see* Turner, M.
- Marfin, A.G., Iqbal, R., Mihm, F., Popat, M.T., Scott, S.H. and Pandit, J.J. Determination of the site of tracheal tube impingement during nasotracheal fiberoptic intubation, 646
- Marfin, A.G. *see* Shearer, A.J.
- Marr, R. and Orwin, A. Transient paralysis after administration of cyclizine, 1226
- Masalgekar, D. *see* Shastri, C.
- Mason, D.G. *see* Bhandal, N.
- Mastakar, S. and Leschinskiry, D. A response to ‘Airway rescue in acute upper airway obstruction using a ProSeal™ Laryngeal mask airway and an Aintree Catheter™: a review of the ProSeal™ Laryngeal mask airway in the management of the difficult airway’, 618
- Mathew, S., Linhartova, L. and Raghuraman, G. Hyperpyrexia and prolonged postoperative disorientation following methylene blue infusion during parathyroidectomy, 580
- Matter-Ensner, S. *see* Hofer, C.K.
- Maxwell, M. and Nathanson, M. Parecoxib – getting to the heart of the matter, 823
- Maxwell, M.J. and Hardman, J.G. Eliciting paraesthesia during combined spinal epidural anaesthesia, 1224
- McAllister, C. *see* Shirley, P.J.
- McAuley, D.F. *see* Shirley, P.J.
- McBrien, M.E. and Heyburn, G. ‘Do not attempt resuscitation’ orders in the peri-operative period, 625
- McBrien, M.E. *see* Coldicott, Y.G.M.
- McCluskey, A. *see* Bhadra, N.
- McCormick, B.A. *see* Felton, T.W.
- McCoy, E. *see* Basha, S.I.
- McGrath, C.D. *see* Brodbelt, K.
- McGuire, B.E. *see* Shearer, A.J.
- McHale, S.P. *see* Edsell, M.E.G.
- McIntyre, R.E. *see* Story, D.A.
- McLachlan, J.K., Campkin, N. and Henrys, P. Medical gas misconnection, 1228
- McLoughlin, L., Rupasinghe, M., Bansal, S., Monaghan, S., Saravanakumar, K., Rao, S.G. and Cooper, G.M. A response to ‘Obesity and obstetric anaesthesia’, 1021
- McNabb, S. *see* Fettes, P.D.W.
- McNamee, J.J., Trainor, D. and Michalek, P. Terlipressin for refractory hypotension following angiotensin-II receptor antagonist overdose, 408
- McNicol, P.L. *see* Story, D.A.
- Meek, T. *see* Dawson, J.S.
- Meek, T. *see* Moore, N.
- Meek, T. *see* Picard, J.
- Meek, T. *see* Wildsmith, J.A.W.
- Mehta, V. and Langford, R.M. Acute pain management for opioid dependent patients, 269
- Meier-Paika, C. *see* Höcker, J.
- Mencke, T. *see* Meyer, S.
- Mendes, T.C.B.S. *see* Gomez, R.S.
- Menezes, F.V. and Venkat, N. Spinal myoclonus following combined spinal-epidural anaesthesia for Caesarean section, 597
- Menon, D.K. *see* Lee, M.C.
- Menzies, R., Frerk, C. and Higgs, A. A response to ‘Low-skill fiberoptic intubation: use of the Aintree Catheter with the classic LMA’, 309
- Meretoja, O.A. *see* Lindfors, P.M.
- Merkel, M. *see* Flondor, M.
- Metcalfe, N.H. *see* Connor, H.
- Metzler, H. *see* Dahaba, A.A.

- Meyer, S., Shamdeen, M.G., Kegel, B., Mencke, T., Gottschling, S., Gortner, L. and Grundmann, U. Effect of propofol on seizure-like phenomena and electroencephalographic activity in children with epilepsy *vs* children with learning difficulties, 1040
- Michaels, L. *see* Tucker, A.T.
- Michalek, P. *see* McNamee, J.J.
- Middleton, P.M. *see* Windsor, J.S.
- Mihm, F. *see* Marfin, A.G.
- Millar, K., Asbury, A.J., Bowman, A.W., Hosey, M.T., Musiello, T. and Welbury, R.R. The effects of brief sevoflurane-nitrous oxide anaesthesia upon children's postoperative cognition and behaviour, 541
- Millar, K. *see* Stanford, J.
- Miller, C. *see* Burt, G.
- Miller, C. *see* Patrick, A.
- Miller, S.A. *see* Sanjay, P.S.
- Milward, G. *see* Knottenbelt, G.
- Mir, T. *see* Man, A.K.Y.
- Mirakhur, R.K. *see* Shields, M.O.
- Mishra, S., Bhatnagar, S., Srikanth, M. and Gupta, D. Clinical implication of routine bacterial culture from epidural catheter tips in postoperative cancer patients: a prospective study, 878
- Missouri, S. and Dingley, J. Intravenous ether for status asthmaticus, 721
- Mitchell, N. *see* Behura, A.
- Mizobe, T. *see* Hosokawa, K.
- Mojoli, F., Zanierato, M., Campana, C. and Braschi, A. Inhaled nitric oxide test in a pregnant patient with severe pulmonary hypertension, 912
- Monaghan, S. *see* McLoughlin, L.
- Montgomery, J.E. *see* Johns, R.A.
- Moons, K.G.M. *see* Morris, K.E.A.
- Moons, K.G.M. *see* van Klei, W.A.
- Moore, N., Kirton, C., Bane, J., Picard, J. and Meek, T. Lipid emulsion to treat overdose of local anaesthetic, 607
- Moore, N. *see* Bouch, D.C.
- Moriarty, D.C. *see* Burlacu, C.L.
- Morrice, D.J. *see* Conacher, I.D.
- Morris, C. *see* Shirley, P.J.
- Morris, K.E.A., van Klei, W.A., Kalkman, C.J., Rutten, C.L.G. and Moons, K.G.M. Pre-operative detection of valvular heart disease, 718
- Morris, S. *see* Evans, A.
- Morrison, G.A., Lang, C. and Huda, S. Botulism in a pregnant intravenous drug abuser, 57
- Mortier, E. *see* van Zundert, A.
- Mortier, E.P. *see* Coppens, M.J.
- Muallem, M. and Baraka, A. Pharyngeal oxygen insufflation via the laryngoscope blade, 1015
- Mukherji, J. *see* Rupert, E.
- Müller, A. *see* van Geffen, G.J.
- Murray, D. Decision making and decision analysis, 1119
- Murray, L.J. *see* Degnan, B.A.
- Musiello, T. *see* Millar, K.
- Musiello, T. *see* Stanford, J.
- Mutagi, H. *see* Kapur, S.
- Naja, H. *see* Naja, M.Z.
- Naja, M.Z., Al-Tannir, M., Naja, H., Ziade, M.F. and Zeidan, A. Repeated nerve blocks with clonidine, fentanyl and bupivacaine for trigeminal neuralgia, 70
- Naja, Z.M., Raf, M., El Rajab, M., Daoud, N., Ziade, F.M., Al Tannir, M.A. and Lönnqvist, P.A. A comparison of nerve stimulator guided paravertebral block and ilio-inguinal nerve block for analgesia after inguinal herniorrhaphy in children, 1064
- Nakajima, Y. *see* Hosokawa, K.
- Naqvi, M. *see* Ismail, S.
- Nashef, S.A.M. *see* Arrowsmith, J.E.
- Nashef, S.A.M. *see* Kestin, I.G.
- Nassau, K. *see* Weis, F.
- Nathanson, M. *see* Maxwell, M.
- Nathanson, M.H. *see* Holmes, K.
- Natusch, D., Johnston, M., Rattray, J.E. and Wildsmith, J.A.W. Criterion contamination when using the Hospital Anxiety and Depression Scale, 609
- Nelson, R.A. *see* Sulaiman, L.
- Nesbitt, I.D. *see* Cosgrove, J.F.
- Nfor, T.K., Walsh, T.S. and Prescott, R.J. The impact of organ failures and their relationship with outcome in intensive care: analysis of a prospective multicentre database of adult admissions, 731
- Ng, L. *see* Majumder, A.
- Ng, V., Lai, A. and Ho, V. Comparison of forced-air warming and electric heating pad for maintenance of body temperature during total knee replacement, 1100
- Ngoc Nga, N.T. *see* Thwaites, C.L.
- Nguyen, J.M. *see* Lejus, C.
- Nicholson, G. *see* Schoeman, J.
- Nightingale, J. *see* Dinsmore, J.
- Nightingale, J. *see* Radauceanu, S.
- Niskanen, L.K. *see* Karamchandani, K.
- Niskanen, M.M. *see* Karamchandani, K.
- Noble, D.W. *see* Campbell, A.J.
- Nolan, J.P. *see* Laver, S.R.
- Nouraei, S.A.R., Davies, M.R., Obholzer, R., Sandhu, G.S. and Porter, F. Haemodynamic instability during thyroid surgery: a baroreflex-mediated neurogenic phenomenon?, 282
- Nurmi, K.E. *see* Lindfors, P.M.
- O'Croinin, D. *see* Maharaj, C.H.
- Oakey, R.J. *see* Connelly, K.
- Oakey, R.J. *see* Smith, A.F.
- Obholzer, R. *see* Nouraei, S.A.R.
- Ocampo, C.E. *see* Lim, Y.
- Ofek, E., Pizov, R. and Bitterman, N. From a radial operating theatre to a self-contained operating table, 548
- Ogilvie, L. *see* Vlachtsis, H.
- O'Hehir, R.E. *see* Apostolou, E.
- O'Hehir, R.E. *see* Shields, M.O.
- O'Leary, M.J. A response to 'Life-threatening pulmonary hypertension and right ventricular failure complicating calcium and phosphate replacement in the intensive care unit', 620
- O'Neill, T.J. *see* Oosthuysen, S.A.v.R.
- Oosthuysen, S.A.v.R., O'Neill, T.J. and Dumpala, R. Smoking dragons, 723
- Oram, J. *see* Buehner, U.
- Orlowski, O., Bullmann, V., Vieth, V., Filler, T., Osada, N., Van Aken, H. and Weber, T.P. Perivascular axillary brachial plexus block and patient positioning: the influence of a lateral, head-down position, 528

- Orme, R.M.L'E., Welham, K.L. and Cole, B. Subcutaneous emphysema after percutaneous tracheostomy – time to dispense with fenestrated tubes?, 911
- Orwin, A. *see* Marr, R.
- Osada, N. *see* Orlowski, O.
- Ouchchane, L. *see* Schneider, E.
- Padkin, A. *see* Laver, S.R.
- Paech, M.J. *see* Ledowski, T.
- Palmer, J. and Webster, C.S. A response to 'The nuclear power industry as an alternative analogy for safety in anaesthesia and a novel approach for the conceptualisation of safety goals', 619
- Pandey, M. *see* Kapur, S.
- Pandey, M. *see* Tripathi, M.
- Pandia, M.P. *see* Sharma, D.
- Pandit, J.J. and Carey, A. Estimating the duration of common elective operations: implications for operating list management, 768
- Pandit, J.J. *see* Iqbal, R.
- Pandit, J.J. *see* Marfin, A.G.
- Pandit, J.J. *see* Shearer, A.J.
- Papadimos, T.J. and Hofmann, J.P. Aortic dissection after forceful coughing, 71
- Paris, A. *see* Höcker, J.
- Park, G. *see* Trivedi, M.
- Park, J.H., Koo, B.N., Kim, J.Y., Cho, J.E., Kim, W.O. and Kil, H.K. Determination of the optimal angle for needle insertion during caudal block in children using ultrasound imaging, 946
- Parkins, K. *see* Guruswamy, V.
- Parpaglion, R., Frigo, M.G., Lemma, A., Sebastiani, M., Barbati, G. and Celleno, D. Minimum local anaesthetic dose (MLAD) of intrathecal levobupivacaine and ropivacaine for Caesarean section, 110
- Parris, M. and Ward, M. A complication of temperature monitoring, 917
- Parry, A. *see* Cantlay, K.L.
- Patel, A. *see* Patel, P.B.
- Patel, P.B., Ferguson, C. and Patel, A. A comparison of two single dilator percutaneous tracheostomy sets: the Blue RhinoTM and the UltraperTM, 182
- Patel, Y., Chatterjee, J. and Quinn, B. The CobraPLA, 67
- Pathak, D., Jefferson, P. and Ball, D.R. Epidural test dose, 909
- Patrick, A. and Miller, C. More on epidural needle wings, 405
- Patrick, A. *see* Burt, G.
- Patterson, C.C. *see* Blackwood, B.
- Pattinson, K.T.S. *see* Russell, E.C.
- Paul, A. *see* Rupert, E.
- Pearce, A. *see* Suaris, P.
- Peet, H. *see* Smith, G.B.
- Pendy, L. *see* Man, A.K.Y.
- Pennefather, S.H., Gilby, S., Danecki, A. and Russell, G.N. The changing practice of thoracic epidural analgesia in the United Kingdom: 1997–2004, 363
- Pennefather, S.H. *see* Sanjay, P.S.
- Pennefather, S.H. *see* Shetty, R.M.
- Peterson, J. *see* Evans, A.
- Peyton, P.J., Stuart-Andrews, C., Deo, K., Strahan, F., Robinson, G.J.B., Thompson, B.R. and Pierce, R. Persisting concentrating and second gas effects on oxygenation during N₂O anaesthesia, 322
- Pfizner, J. Potential for acute lung injury following one-lung ventilation: alveolar overdistension from partial bronchial obstruction, 906
- Picard, J. and Meek, T. Lipid emulsion to treat overdose of local anaesthetic: the gift of the glob, 107
- Picard, J., Meek, T., Weinberg, G. and Hertz, P. Lipid emulsion for local anaesthetic toxicity, 1116
- Picard, J. *see* Dawson, J.S.
- Picard, J. *see* Moore, N.
- Picard, J. *see* Wildsmith, J.A.W.
- Pickworth, A. *see* Kendrick, B.J.L.
- Pierce, R. *see* Peyton, P.J.
- Pinaud, M. *see* Lejus, C.
- Pizov, R. *see* Ofek, E.
- Plaat, F. *see* Lewis, N.L.
- Popat, M. *see* Satya-Krishna, R.
- Popat, M.T. *see* Iqbal, R.
- Popat, M.T. *see* Marfin, A.G.
- Popat, M.T. *see* Shearer, A.J.
- Popp, M. *see* Litz, R.J.
- Popp, M. *see* Wildsmith, J.A.W.
- Porter, F. *see* Nouraei, S.A.R.
- Pounder, D. *see* Zain, Z.
- Poustie, S.J. *see* Story, D.A.
- Powell, B., Maharaj, R., Biccarrd, B.M., Sear, J.W. and Foex, P. A response to 'Statin therapy: a potentially useful peri-operative intervention in patients with cardiovascular disease', 307
- Powell, S.J. *see* Arrowsmith, J.E.
- Powell, S.J. *see* Kestin, I.G.
- Power, K. *see* Craig, J.R.
- Prabhakar, H., Rath, G.P. and Dash, H.H. Bradycardia following hydrogen peroxide irrigation during posterior fossa surgery, 914
- Praticò, C. *see* Fodale, V.
- Pratt, O.W., Bowles, B. and Protheroe, R.T. Brain stem death testing after thiopental use: a survey of UK neuro critical care practice, 1075
- Prax, N. *see* Dahaba, A.A.
- Prescott, R.J. *see* Nfor, T.K.
- Price, J.D. *see* Watkinson, P.J.
- Protheroe, R.T. *see* Pratt, O.W.
- Prytherch, D. *see* Smith, G.B.
- Puy, R. *see* Apostolou, E.
- Puy, R. *see* Shields, M.O.
- Quere, M.F. *see* Lejus, C.
- Quiney, N. *see* Wijayasiri, L.
- Quinn, A.C. *see* Fletcher, S.J.
- Quinn, B. *see* Patel, Y.
- Raajkumar, A., Asif, P., Radhakrishna, S. and Cox, A. A modified paediatric circuit, 1227
- Radauceanu, S. and Nightingale, J. User damage to the tracheal tube used with the Intubating Laryngeal Mask Airway, 724
- Radhakrishna, S. *see* Raajkumar, A.
- Radosevic, A. *see* Lejus, C.
- Raf, M. *see* Naja, Z.M.
- Raghavendran, S., Bagry, H.S., Leith, S. and Budd, J.M. Needle stick injuries: a comparison of practice and attitudes in two UK District General Hospitals, 867
- Raghuraman, G. *see* Mathew, S.
- Ramos, A.S. *see* Shirley, P.J.

- Ranasinghe, D.N. *see* Higgs, A.
 Ranasinghe, D.N. Assessing the laryngeal view by conventional laryngoscopy after awake fiberoptic tracheal intubation, 517
 Rao, G.S.U.M. *see* Reddy, K.R.M.S.
 Rao, S.G. *see* McLoughlin, L.
 Rao, S.G. *see* Saravanakumar, K.
 Raphael, J. *see* Kapur, S.
 Rassam, S. *see* Heard, A.
 Rassam, S. *see* Stacey, M.R.
 Rath, G.P. *see* Prabhakar, H.
 Rath, G.P. *see* Sharma, D.
 Ratnam, V. *see* Emohare, O.
 Rattray, J.E. *see* Natusch, D.
 Ravalia, A. and Lewey, R. Disposable laryngeal mask airways, 916
 Ravalia, A. *see* Husain, N.K.A.
 Ravenscroft, A.J. *see* Burgess, C.
 Raw, M. *see* Ewah, B.N.
 Read, E. and Townley, S.A. Pulse oximetry artefact during laparoscopic surgery, 303
 Read, G. *see* Sudheer, P.S.
 Reber, A. *see* Franzen, D.
 Reber, A. *see* Regli, A.
 Reddy, K., Jaggar, S. and Gillbe, C. The anaesthetist and the cardiac catheterisation laboratory, 1175
 Reddy, K.R.M.S., Chandramouli, B.A. and Rao, G.S.U.M. Acute venous thrombosis caused by lipid-free propofol, 300
 Regli, A., von Ungern-Sternberg, B.S., Reber, A. and Schneider, M.C. Impact of spinal anaesthesia on peri-operative lung volumes in obese and morbidly obese female patients, 215
 Regli, A. *see* von Ungern-Sternberg, B.S.
 Rehak, P.H. *see* Dahaba, A.A.
 Reid, M. *see* Hendron, D.
 Reid, S.A. Brush up your diagnosis, 604
 Reindl, L. *see* Weis, F.
 Rentowl, P. *see* Hanning, C.
 Reuter, D. *see* Weis, F.
 Rewari, V. Direct laryngoscopy after fiberoptic intubation, 1012
 Reynolds, F. More on epidural wings, 74
 Richards, E., Brimacombe, J., Laupau, W. and Keller, C. Protein cross-contamination during batch cleaning and autoclaving of the ProSeal™ laryngeal mask airway, 431
 Richards, E. *see* Laupau, W.
 Richardson, A.J., Bahloul, S. and Knight, J. Ruptured splenic artery aneurysm in pregnancy presenting in a manner similar to pulmonary embolus, 187
 Rinia, M. *see* Houtman, S.
 Rittman, W. *see* Zain, Z.
 Robb, P.J. *see* Ewah, B.N.
 Roberts, R. *see* Absalom, M.
 Robertshaw, H.J. and Hall, G.M. Diabetes mellitus: anaesthetic management, 1187
 Robinson, G.J.B. *see* Peyton, P.J.
 Rocke, D.A. *see* Cormack, R.S.
 Roediger, L., Joris, J., Senard, M., Larbuisson, R., Canivet, J.L. and Lamy, M. The use of pre-operative intrathecal morphine for analgesia following coronary artery bypass surgery, 838
 Rogers, R. *see* Bhandal, N.
 Rolland, J.M. *see* Apostolou, E.
 Rolland, J.M. *see* Shields, M.O.
 Rollin, A.-M. Working together for the sick or injured child: the Tanner Report, 1135
 Rolly, G. *see* Coppens, M.J.
 Rooksby, J. *see* Sharma, S.
 Rosenblatt, W.H. *see* Goldman, A.J.
 Rosser, D. *see* Adam, C.
 Rowbottom, A. *see* Sudheer, P.S.
 Royse, A.G. *see* Royse, C.F.
 Royse, C.F., Hall, J. and Royse, A.G. The 'mesentery' dressing for epidural catheter fixation, 713
 Royse, C.F., Seah, J.L., Donelan, L. and Royse, A.G. Point of care ultrasound for basic haemodynamic assessment: novice compared with an expert operator, 849
 Ruffell, A. *see* Watling, G.
 Rupasinghe, M. *see* McLoughlin, L.
 Rupert, E., Paul, A. and Mukherji, J. Transoesophageal echocardiography: a useful tool to diagnose entrapment of pulmonary artery catheter, 702
 Ruprecht, J. *see* Hofland, J.
 Russell, E.C. and Pattinson, K.T.S. Maternal satisfaction with computer integrated patient controlled epidural analgesia, 811
 Russell, G.N. *see* Pennefather, S.H.
 Russell, G.N. *see* Sanjay, P.S.
 Russell, G.N. *see* Shetty, R.M.
 Russell, P. *see* Ledowski, T.
 Russo, G. *see* Fodale, V.
 Rutten, C.L.G. *see* Morris, K.E.A.
 Rutten, C.L.G. *see* van Klei, W.A.
 Ryan, D.W., Theaker, C.B. and Soni, N. Pressure ulcers in intensive care, 611
 Ryan, J.D.V. Survival after marked hyperlactaemia, 512
 Ryding, F.N., Ibrahim, F.I. and Aldridge, C. Etomidate and ECT, 192
 Ryu, D.H. *see* Kim, T.Y.
 Sabir, N., Yentis, S.M. and Holdcroft, A. A national survey of obstetric anaesthetic handovers, 376
 Sagadai, S. and Umakanth, P. Latex-free?, 912
 Salmon, A. *see* Batistich, S.P.
 Sandby-Thomas, M. A problem with delivering CPAP during patient transport, 816
 Sanderson, P.M., Wee, A. and Lacherez, P. Learnability and discriminability of melodic medical equipment alarms, 142
 Sandhu, G.S. *see* Nouraei, S.A.R.
 Sandrini, A. *see* Apostolou, E.
 Sandrini, A. *see* Shields, M.O.
 Sanjay, P.S., Miller, S.A., Corry, P.R., Russell, G.N. and Pennefather, S.H. The effect of gel lubrication on cuff leakage of double lumen tubes during thoracic surgery, 133
 Santamaria, S. *see* Fodale, V.
 Saqr, L. and Chambers, W.A. Preventing excessive pre-operative fasting: national guideline or local protocol?, 1
 Saravanakumar, K., Rao, S.G. and Cooper, G.M. Obesity and obstetric anaesthesia, 36
 Saravanakumar, K. *see* McLoughlin, L.
 Sarkar, M. *see* Shastri, C.
 Satya-Krishna, R. and Popat, M. Insertion of the double lumen tube in the difficult airway, 896
 Scheuer, M. *see* van Geffen, G.J.
 Schibler, A. *see* von Ungern-Sternberg, B.S.
 Schmidt, C. *see* Ellger, B.M.
 Schmidt, P. *see* Smith, G.B.

- Schneider, E., Dualé, C., Vaille, J.-L., Ouchchane, L., Gillart, T., Guélon, D. and Schoeffler, P. Comparison of tolerance of facemask vs. mouthpiece for non-invasive ventilation, 20
- Schneider, M.C. *see* Regli, A.
- Schoeffler, P. *see* Schneider, E.
- Schoeman, J. and Nicholson, G. Stridor: remember the oesophagus, 514
- Scholz, J. *see* Höcker, J.
- Schricker, T. *see* Hatzakorzian, R.
- Schulte, A.C. and Bromilow, J. Monitoring of ventilation on ICU, 304
- Schutte, P.F.E. *see* Huitink, J.M.
- Schutte, P.F.E. *see* West, N.
- Scotson, I. *see* Foster, R.N.
- Scott, N.B. *see* Barakat, A.R.
- Scott, S.H. *see* Marfin, A.G.
- Scrase, I. and Woollard, M. Needle *vs* surgical cricothyroidotomy: a short cut to effective ventilation, 962
- Scrutton, M. *see* Congreve, K.
- Seah, J.L. *see* Royse, C.F.
- Sear, J.W. *see* Biccard, B.M.
- Sear, J.W. *see* Powell, B.
- Sebastian, T., Jose, Z. and Lamb, F.J. Record of anaesthetic machine check, 817
- Sebastiani, M. *see* Parpaglion, R.
- Seed, M.P. *see* Tucker, A.T.
- Self, R. *see* Janossy, K.
- Senard, M. *see* Roediger, L.
- Sethuraman, D., Darshane, S., Guha, A. and Charters, P. A randomised, crossover study of the Dorges, McCoy and Macintosh laryngoscope blades in a simulated difficult intubation scenario, 482
- Shafik, M.T., Bahlman, B.U., Hall, J.E. and Ali, M.S. A comparison of the Soft SealTM disposable and the Classic re-usable laryngeal mask airway, 178
- Shah, A. and da Silva, E.J. Snippet, 206
- Shah, A. Anaesthesia in patient with Hailey-Hailey disease, 514
- Shah, M. Diagnosis by a fellow patient, 414
- Shamdeen, M.G. *see* Meyer, S.
- Shankar, R. *see* Ambulkar, R.
- Sharma, D., Bithal, P.K., Rath, G.P. and Pandia, M.P. Effect of orientation of a standard polyvinyl chloride tracheal tube on success rates during awake flexible fiberoptic intubation, 845
- Sharma, S., Smith, A.F., Rooksby, J. and Gerry, B. Involving users in the design of a system for sharing lessons from adverse incidents in anaesthesia, 350
- Shastri, C., Mahapatro, S., Masalgekar, D. and Sarkar, M. A Mallampati class 0 airway, 820
- Shearer, A.J., McGuire, B.E., Pandit, J.J., Popat, M.T. and Marfin, A.G. Railroaded tracheal tubes over a fibroscope, 1222
- Shelton, A.C. *see* Story, D.A.
- Shepherd, J. and Douglas, S. Bite blocks and tube obstruction, 406
- Shetty, R.M., Gillbe, C., Pennefather, S.H. and Russell, G.N. Cuff leakage with double lumen tracheal tubes, 905
- Shewry, E. *see* Cranshaw, J.
- Shewry, E. *see* Gongireddy, V.K.R.
- Shields, M.O., Mirakhur, R.K., Crookard, A.D., Edgar, J.D.M., Apostolou, E., Deckert, K., Puy, R., Sandrini, A., de Leon, M.P., Douglass, J.A., Rolland, J.M. and O'Hehir, R.E. The use of basophil activation to diagnose allergy to Gelofusine[®], 716
- Shirley, P.J., McAuley, D.F., Jackson, M.-T., Ramos, A.S., Morris, C. and McAllister, C. Etomidate – misused or misunderstood?, 190
- Sia, A. *see* Verma, S.
- Sia, A.T. *see* Lim, Y.
- Sia, A.T.H. *see* Teoh, W.H.L.
- Siddik-Sayyid, S.M. *see* Taha, S.K.
- Silsby, J., Jordan, G., Bayley, G. and Cook, T.M. Evaluation of four airway training manikins as simulators for inserting the LMA ClassicTM, 576
- da Silva, E.J., Dodd, L. and Watt, J. Assistance with axillary blocks, 75
- da Silva, E.J. *see* Burnell, S.
- da Silva, E.J. *see* Kapur, S.
- da Silva, E.J. *see* Shah, A.
- Simanski, C. *see* Barakat, A.R.
- Simanski, C.J.P. *see* Ambulkar, R.
- Simon, C. *see* Koitschev, A.
- Simpson, P. *see* Baskett, P.
- Sindhakar, S. *see* Coxon, M.
- Singh, B. Difficulty with flanged tracheostomy tubes, 299
- Singh, H. In response to 'Another use for ultrasound in the ICU', 78
- Singh, H. One more use of ultrasound in ICU, 407
- Singh, M. *see* Sunder, R.A.
- Singh, U. *see* Agarwal, A.
- Singhal, V. *see* Agarwal, A.
- Sivasankar, R. *see* Stacey, M.R.
- Slater, J. *see* Broom, M.A.
- Sly, P.D. *see* von Ungern-Sternberg, B.S.
- Smith, A.F. and Oakley, R.J. Incidence and significance of errors in a patient 'track and trigger' system during an epidemic of Legionnaires' disease: retrospective casenote analysis, 222
- Smith, A.F. *see* Sharma, S.
- Smith, G.B., Prytherch, D., Peet, H., Featherstone, P.I., Schmidt, P., Knight, D., Stewart, K. and Higgins, B. Automated calculation of 'early warning scores', 1009
- Smith, H.L. *see* Lee, M.C.
- Smith, I., Cooke, T., Jackson, I. and Fitzpatrick, R. Rising to the challenges of achieving day surgery targets, 1191
- Smith, J.E. *see* Stacey, M.R.
- Smith, M. *see* Farling, P.
- Smith, P.D. *see* Goddard, M.
- Smith, P.J. *see* Fettes, P.D.W.
- Smith, R.L. Thoracic epidurals and antiplatelet therapy, 908
- Snow, D. *see* Holmes, K.
- Soni, N. *see* Ryan, D.W.
- Soni, N. *see* Thwaites, C.L.
- Sood, J. *see* Gupta, K.
- Srikanti, M. *see* Mishra, S.
- Srivastava, D., Ghori, A., Brennan, K. and Coventry, J. Blocked epinephrine syringe, 916
- Stacey, M. *see* Heard, A.
- Stacey, M.R., Rassam, S., Sivasankar, R., Hall, J.E., Latto, I.P., Tong, J.L., Ashworth, D.R. and Smith, J.E. Cardiovascular responses following laryngoscope-assisted fiberoptic orotracheal intubation, 196
- Standley, T.D.A. *see* Degnan, B.A.
- Stanford, J., Millar, K., Asbury, A.J., Bowman, A.W., Hosey, M.T., Musiello, T. and Welbury, R.R. The effects of general anaesthesia on children, 1122
- Stanford, J. Alternative nasal mask for chair dental anaesthesia, 414

- Stanley, P.J. *see* Fletcher, S.J.
 Stedeford, J. *see* Al-Shaikh, B.
 Stehr, S.N. *see* Litz, R.J.
 Stehr, S.N. *see* Wildsmith, J.A.W.
 Stewart, K. *see* Smith, G.B.
 Stone, A.G.H. and Howell, P.R. Supplementary oxygen during Caesarean section, 298
 Stoneham, J. *see* Tunstall, S.A.
 Stoneham, M.D. *see* Jones, H.G.
 Stonell, C.A., Leslie, K. and Absalom, A.R. Effect-site targeted patient-controlled sedation with propofol: comparison with anaesthetist administration for colonoscopy, 240
 Story, D.A., Shelton, A.C., Poustie, S.J., Colin-Thome, N.J., McIntyre, R.E. and McNicol, P.L. Effect of an anaesthesia department led critical care outreach and acute pain service on postoperative serious adverse events, 24
 Strahan, F. *see* Peyton, P.J.
 Struys, M.M.R.F. *see* Coppens, M.J.
 Stuart-Andrews, C. *see* Peyton, P.J.
 Stutz, K. *see* Bernet, V.
 Stylianou, M. *see* Bould, M.D.
 Suaris, P. and Pearce, A. Training in airway management, 1220
 Sudheer, P.S., Hall, J.E., Donev, R., Read, G., Rowbottom, A. and Williams, P.E. Nicotinic acetylcholine receptors on basophils and mast cells, 1170
 Sudheer, P.S., Logan, S.W., Ateleanu, B. and Hall, J.E. Haemodynamic effects of the prone position: a comparison of propofol total intravenous and inhalation anaesthesia, 138
 Sulaiman, L., Tighe, S.Q.M. and Nelson, R.A. Surgical *vs* wire-guided cricothyroidotomy: a randomised crossover study of cuffed and uncuffed tracheal tube insertion, 565
 Sule, A. *see* Bapat, P.P.
 Sultan, N. *see* Ismail, S.
 Sumit, K., Agarwal, A. and Tandon, M. A response to 'Evaluation of capsaicin ointment at the Korean hand acupressure point K-12 for prevention of postoperative nausea and vomiting', 617
 Sun, H.T. *see* Xue, F.S.
 Sun, H.Y. *see* Xue, F.S.
 Sundaram, R., Brown, A.G., Koteeswaran, S.K. and Urquhart, G. Anaesthetic implications of uterine artery embolisation in management of massive obstetric haemorrhage, 248
 Sundaram, R. *see* Duffy, M.R.
 Sunder, R.A. and Singh, M. Pseudohypoparathyroidism: a series of three cases and an unusual presentation of ocular tetany, 394
 Swart, M. *see* Duffy, M.R.
 Sweeney, B.P. and Bromilow, J. Liver enzyme induction and inhibition: implications for anaesthesia, 159
 Swinton, F.W. *see* Haigh, F.P.
 Taha, S.K., Siddik-Sayyid, S.M., El-Khatib, M.F., Dagher, C.M., Hakk, M.A. and Baraka, A.S. Nasopharyngeal oxygen insufflation following pre-oxygenation using the four deep breath technique, 427
 Takeuchi, M. *see* Wu, E.T.
 Tan, C.P., Chia, C.H. and Leese, T. Chest pain in the early postoperative period after laparoscopic adjustable gastric banding: four case reports, 390
 Tandon, M. *see* Sumit, K.
 Tarassenko, L. *see* Watkinson, P.J.
 Tassonyi, E. *see* Lysakowski, C.
 Teare, K.M. and Ahmed, P.F. Unilateral breast enlargement after an interscalene block, 916
 Teoh, W. *see* Verma, S.
 Teoh, W.H.L. and Sia, A.T.H. Ultra-low dose combined spinal-epidural anaesthesia for Caesarean section in severe pre-eclampsia, 511
 Tescione, M. *see* Fodale, V.
 Theaker, C.B. *see* Ryan, D.W.
 Thomas, M.L. *see* Bould, M.D.
 Thompson, B.R. *see* Peyton, P.J.
 Thompson, J. *see* Iqbal, R.
 Thwaites, C.L., Yen, L.M., Cordon, S.M., Binh, N.T., Ngoc Nga, N.T., White, N.J., Soni, N., MacDonald, I.A. and Farrar, J.J. Urinary catecholamine excretion in tetanus, 355
 Tiefenthaler, W., Gimpl, S., Wechselberger, G. and Benzer, A. Touch sensitivity with sterile standard surgical gloves and single-use protective gloves, 959
 Tiefenthaler, W., Tschupik, K., Hohlrieder, M., Eisner, W. and Benzer, A. Accidental intracerebroventricular injection of anaesthetic drugs during induction of general anaesthesia, 1208
 Tierney, E. *see* Alexiev, V.
 Tighe, S.Q.M. *see* Sulaiman, L.
 Ting, J. Temporomandibular joint dislocation after use of a laryngeal mask airway, 201
 Tolsma, M. *see* van Klei, W.A.
 Tong, J.L. *see* Stacey, M.R.
 Tonner, P.H. *see* Höcker, J.
 Townley, S.A. *see* Denner, A.M.
 Townley, S.A. *see* Read, E.
 Trainor, D. *see* McNamee, J.J.
 Tramèr, M.R. *see* Lysakowski, C.
 Tremlett, M. *see* Bagade, A.
 Trenkler, S. *see* Turan, A.
 Trick, M. *see* Turan, A.
 Trikha, A. *see* Arora, M.K.
 Trinder, T.J. *see* Blackwood, B.
 Tripathi, M. and Pandey, M. Anchoring of the internal jugular vein with a pilot needle to facilitate its puncture with a wide bore needle: a randomised, prospective, clinical study, 15
 Tripathi, M. *see* Kapur, S.
 Trivedi, M., Park, G. and Cole, B. Occlusion of a tracheostomy tube after misinsertion, 407
 Trumpelmann, P. *see* Al-Shaikh, B.
 Tschupik, K. *see* Tiefenthaler, W.
 Tucker, A.T., Chik, Z., Michaels, L., Kirby, K., Seed, M.P., Johnston, A. and Alam, C.A.S. Study of a combined percutaneous local anaesthetic and the TDS® system for venepuncture, 123
 Tunstall, S.A. and Stoneham, J. The 'Ring of Confidence' – an indicator of optimal anaesthesia following sub-Tenon's block, 411
 Turan, A., Apfel, C.C., Kumpch, M., Danzeisen, O., Eberhart, L.H.J., Forst, H., Heringhaus, C., Iselhorst, C., Trenkler, S., Trick, M., Vedder, I. and Kerger, H. Does the efficacy of supplemental oxygen for the prevention of postoperative nausea and vomiting depend on the measured outcome, observational period or site of surgery?, 628
 Turley, A. *see* Absalom, M.

- Turner, M., Hodzovic, I. and Mapleson, W.W. Simulated clinical evaluation of four fluid warming devices, 571
- Turner, S., Dhamarajah, S., Bosomworth, M. and Bellamy, M.C. on behalf of the Leeds Liver Transplant Group. Effect of perioperative steroids on renal function after liver transplantation, 253
- Uggen, P.E. *see* Åsheim, P.
- Ullah, R. *see* Basha, S.I.
- Umakanth, P. *see* Sagadai, S.
- von Ungern-Sternberg, B.S., Regli, A., Frei, F.J., Hammer, J., Schibler, A. and Erb, T.O. The effect of caudal block on functional residual capacity and ventilation homogeneity in healthy children, 758
- von Ungern-Sternberg, B.S., Sly, P.D., Loh, R.K.S., Isidoro, A. and Habre, W. Value of eosinophil cationic protein and tryptase levels in bronchoalveolar lavage fluid for predicting lung function impairment in anaesthetised, asthmatic children, 1149
- von Ungern-Sternberg, B.S. *see* Regli, A.
- Ure, D.S. *see* Broom, M.A.
- Urquhart, G. *see* Duffy, M.R.
- Urquhart, G. *see* Sundaram, R.
- Ursprung, T. *see* Franzen, D.
- Utting, M.R. *see* Campbell, N.
- Vaille, J.-L. *see* Schneider, E.
- Van Aken, H. *see* Orlowski, O.
- Van Aken, H.K. *see* Ellger, B.M.
- Van Zundert, A. *see* Al-Shaikh, B.
- Vasoya, R. *see* Adekanye, O.
- Vaughan, R. A response to 'Use of carbon dioxide extubation', 620
- Vaughan, R.S. *see* Cooper, R.
- Vedder, I. *see* Turan, A.
- Vege, K.R. and Watts, J. Risk of nerve damage from vascular access catheters, 615
- Velasquez, H. *see* Conacher, I.D.
- Veltman, M. *see* Vlachtsis, H.
- Venkat, N. *see* Menezes, F.V.
- Verma, S., Agarwal, S., Teoh, W. and Sia, A. Ultra-low dose CSE, 1012
- Versichelen, L.F.M. *see* Coppens, M.J.
- Vieth, V. *see* Orlowski, O.
- Viljanen, A.-M. *see* Lindfors, P.M.
- Vlachtsis, H., Veltman, M. and Ogilvie, L. Shearing of a Frova Intubating Introducer by a Bronchocath double lumen tube, 197
- Vohra, S.B. and Cox, A. Kinking of disposable anaesthetic circuits, 721
- Vohra, V. *see* Gupta, K.
- Vollmer, H. *see* Ahmad, I.
- de Vries, F.B. *see* Adekanye, O.
- Walmsley, A.J. *see* Wood, R.J.
- Walsh, E.M. Reducing the risk of prion transmission in anaesthesia, 64
- Walsh, T.S. *see* Nfor, T.K.
- Walton, B., Farrow, C. and Cook, T.M. A national survey of epidural use and management in elderly patients undergoing elective and emergency laparotomy, 456
- Walton, B. *see* Chincholkar, M.
- Wang, X. *see* Xue, F.S.
- Wantman, A., Hancox, N. and Howell, P.R. Techniques for identifying the epidural space: a survey of practice amongst anaesthetists in the UK, 370
- Ward, M. *see* Parris, M.
- Ward, S.J. and Harrop-Griffiths, W. Botox injections and monitoring neuromuscular blockade, 726
- Watkinson, P.J., Barber, V.S., Price, J.D., Hann, A., Tarassenko, L. and Young, J.D. A randomised controlled trial of the effect of continuous electronic physiological monitoring on the adverse event rate in high risk medical and surgical patients, 1031
- Watling, G., MacDonnell, S., Kasa, S.P.B. and Ruffell, A. Combining care bundles: a potential hazard of sedation interruption and tight glucose control, 1017
- Watt, J. *see* da Silva, E.J.
- Watters, M.P.R. *see* Kendrick, B.J.L.
- Watts, J. *see* Vege, K.R.
- Weber, T.P. *see* Orlowski, O.
- Webster, C. *see* Dolenska, S.
- Webster, C.S. *see* Palmer, J.
- Wechselberger, G. *see* Tiefenthaler, W.
- Wee, A. *see* Sanderson, P.M.
- Wee, M. *see* Whittaker, S.
- Weinberg, G. *see* Picard, J.
- Weinberg, G.L. In defence of lipid resuscitation, 807
- Weis, F., Kilger, E., Beiras-Fernandez, A., Nassau, K., Reuter, D., Goetz, A., Lamm, P., Reindl, L. and Briegel, J. Association between vasopressor dependence and early outcome in patients after cardiac surgery, 938
- Weiss, M. *see* Bernet, V.
- Welbury, R.R. *see* Millar, K.
- Welbury, R.R. *see* Stanford, J.
- Welbury, R.R. *see* Wilson, K.E.
- Welham, K.L. *see* Orme, R.M.L'E.
- Werstler, E. *see* Williamson, R.M.
- West, N., Lacey, O., Huitink, J.M., Buitelaar, D.R. and Schutte, P.F.E. Awake fibrecapnic intubation, 1011
- van der Westhuisen, J. *see* Knottenbelt, G.
- Wheeler, D.W. *see* Degnan, B.A.
- White, N.J. *see* Thwaites, C.L.
- White, S.M. and Baldwin, T.J. The Mental Capacity Act 2005 – implications for anaesthesia and critical care, 381
- Whittaker, S., Fortescue, C., Wee, M. and Levy, D.M. Emergency Caesarean section – best practice, 1120
- Whittlestone, K.D. *see* Degnan, B.A.
- Wijayasiri, L., Batas, D. and Quiney, N. Hereditary neuropathy with liability to pressure palsies and anaesthesia: peri-operative nerve injury, 1004
- de Wilde, R.B.P., Breukers, R.B.G.E., van den Berg, P.C.M. and Jansen, J.R.C. Monitoring cardiac output using the femoral and radial arterial pressure waveform, 743
- Wildsmith, J.A.W., Litz, R.J., Popp, M., Stehr, S.N. and Koch, T. Local anaesthetic toxicity: prevention or cure?, 1117
- Wildsmith, J.A.W., Picard, J. and Meek, T. Local anaesthetic toxicity: prevention or cure?, 506
- Wildsmith, J.A.W. *see* Natusch, D.
- Wilkes, A.R. *see* Cann, C.
- Wilkes, A.R. *see* Goodwin, N.
- Wilkes, R.G. Ultrasound for determining the cause of shock during pregnancy, 510
- Williams, P.E. *see* Sudheer, P.S.

- Williamson, R.M. and Werstler, E. Central lines in patients with AV fistula, 819
- Williamson, R.M. A response to 'Generic machine checks', 617
- Wilson, K.E., Girdler, N.M. and Welbury, R.R. A comparison of oral midazolam and nitrous oxide sedation for dental extractions in children, 1138
- Wilson, M. *see* Coe, A.J.
- Wilson-Barnett, J. *see* Blackwood, B.
- Wimbush, S. *see* Hayward, E.
- Windsor, J.S., Middleton, P.M. and David, R. Incorrect labelling of naloxone, 1230
- Wood, R.J. and Walmsley, A.J. Subclavian artery stenosis and blood pressure control, 409
- Woollard, M. *see* Scrase, I.
- Wright, J. *see* Bagade, A.
- Wu, E.T., Takeuchi, M., Imanaka, H., Higuchi, T. and Kagisaki, K. Chylothorax as a complication of innominate vein thrombosis induced by a peripherally inserted central catheter, 584
- Wuthrich, B. *see* Franzen, D.
- Xu, Y.C. *see* Xue, F.S.
- Xue, F.S., Li, C.W., Sun, H.T., Liu, K.P., Zhang, G.H., Xu, Y.C., Liu, Y. and Yu, L. The circulatory responses to fiberoptic intubation: a comparison of oral and nasal routes, 639
- Xue, F.S., Li, C.W., Zhang, G.H., Li, X.Y., Sun, H.T., Liu, K.P., Liu, J. and Wang, X. GlideScope[®]-assisted awake fiberoptic intubation: initial experience in 13 patients, 1014
- Xue, F.S., Zhang, G.H., Sun, H.Y., Li, C.W., Li, P., Sun, H.T., Liu, K.P., Xu, Y.C. and Liu, Y. Blood pressure and heart rate changes during intubation: a comparison of direct laryngoscopy and a fiberoptic method, 444
- Yaku, H. *see* Hosokawa, K.
- Yang, M. *see* Choi, S.J.
- Yeh, H.-M. *see* Hui, C.-K.
- Yen, L.M. *see* Thwaites, C.L.
- Yentis, S.M. *see* Iqbal, R.
- Yentis, S.M. *see* Sabir, N.
- Yentis, S.M. Decision analysis in anaesthesia: a tool for developing and analysing clinical management plans, 651
- Young, D. *see* Bone, E.G.
- Young, J.D. *see* Griffiths, J.A.
- Young, J.D. *see* Watkinson, P.J.
- Young, S. and Haldane, G. Major colorectal surgery in a patient with cold agglutinin disease, 593
- Yu, L. *see* Xue, F.S.
- Yılmaz, C. *see* Bilgin, H.
- Zahn, P.K. *see* Ellger, B.M.
- Zain, Z., Pounder, D. and Rittman, W. Electric shock during cordotomy, 719
- Zanierato, M. *see* Mojoli, F.
- Zeidan, A. *see* Naja, M.Z.
- Zhang, G.H. *see* Xue, F.S.
- Ziade, F.M. *see* Naja, Z.M.
- Ziade, M.F. *see* Naja, M.Z.
- Zollinger, A. *see* Hofer, C.K.
- Zuck, D. *see* Macdonald, A.
- van Zundert, A., Brimacombe, J., Al-Shaikh, B., Mortier, E., Bazin, J.-E. and Constantin, J.-M. Are all single-use laryngeal masks the same?, 608
- van Zundert, A., Brimacombe, J., Kamphuis, R. and Haanschoten, M. The anatomical position of three extraglottic airway devices in patients with clear airways, 891
- Zwissler, B. *see* Flondor, M.



